

Help

Posting Counts

Search Form

Show WS Numbers

Edit WS Numbers

Search Results - Record(s) 1 through 1 of 1 returned.

1.

Document ID: JP 02061313 A,

Relevance Rank: 99

Main Menu

Entry 1 of 1

File: DERWENT

April 12, 1999

DERWENT-ACC-NO: 1990-111403

DERWENT-WEEK: 199015

COPYRIGHT 1998 DERWENT INFORMATION LTD

Structure for purifying exhaust gas - has ceramic honeycomb structure with cells, inorganic fibre buffer material, vermiculite and organic binder

PATENT-ASSIGNEE: MATSUSHITA ELEC IND CO LTD[MATU]

PRIORITY-DATA: 1988JP-0214041 (August 29, 1988)

PATENT-FAMILY:

JP 02061313 A

PUB-NO

PUB-DATE

March 1, 1990

LANGUAGE

PAGES

MAIN-IPC

000 A/N

N/A

APPLICATION-DATA:

PUB-NO

APPL-DESCRIPTOR

APPL-NO

APPL-DATE

JP02061313A

N/A

1988JP-0214041

August 29, 1988

IPC: F01N003/28

ABSTRACTED-PUB-NO:JP02061313A

BASIC-ABSTRACT:Structure consists of a ceramic honeycomb having many cells inside, a buffer material wound around the ceramic honeycomb, and a metal container housing the buffer material and having an exhaust gas inlet port facing the front and back sides of the ceramic honeycomb, the face to be touched by the ceramic honeycomb of the buffer material has many holes and/or many grooves. The buffer material is composed mainly of an inorganic fibre, vermiculite, and an organic binder. USE/ADVANTAGE - The exhaust gas-purifying structure to be used in catalyst converter or filter in internal combustion engine, etc., has high mechanical strength against thermal expansion, etc., and can be safely used even when used repeatedly at high-temp.

CHOSEN-DRAWING: Dwg. 0/2

STRUCTURE PURIFICATION EXHAUST GAS CERAMIC HONEYCOMB STRUCTURE CELL INORGANIC FIBRE BUFFER MATERIAL VERMICULITE ORGANIC BIND

DERWENT-CLASS: H06 J01 Q51

CPI-CODES: H06-C03; H06-C04; J01-E02D; J01-G03B; J04-E03; N06-C;

SECONDARY-ACC-NO: CPI Secondary Accession Numbers: C1990-049074 Non-CPI Secondary Accession Numbers:N1990-086016

	:							
		Term		iments				
		jp-02061313-	\$.d1d.	1				
	\$	olay Documents	ogocooonech	g At: 1	nat			
			Show	·WS Numbe	ırs E	dit VVS Ni	ımbers	
Main Menu	Search Fo	orm Posting Co	unts 5110%	440 I491/164				



Help

Edit WS Numbers Show WS Numbers Posting Counts Search Form Main Menu

Search Results - Record(s) 1 through 1 of 1 returned.

Document ID: JP 06254401 A,

Relevance Rank: 99

File:DERWENT Entry 1 of 1

April 12, 1999

DERWENT-ACC-NO: 1994-329208

DERWENT-WEEK: 199441

COPYRIGHT 1998 DERWENT INFORMATION LTD

Denitration catalyst for exhaust gas - comprises an active component contg. zeolite and a montmorillonite forming agent

PATENT-ASSIGNEE: MITSUBISHI JUKOGYO KK[MITO]

PRIORITY-DATA: 1993JP-0042743 (March 3, 1993)

MAIN-IPC PAGES LANGUAGE PATENT-FAMILY: B01J 029/08 PUB-DATE 003 PUB-NO N/A

September 13, 1994 JP 06254401 A

APPL-DATE APPLICATION-DATA: APPL-NO March 3, 1993 APPL-DESCRIPTOR 1993JP-0042743 PUB-NO

N/A JP06254401A

IPC: B01D053/36; B01J029/08

BASIC-ABSTRACT:A catalyst comprises an active component contg. 60-95 wt. %ABSTRACTED-PUB-NO: JP06254401A of zeolite and balance of the forming agent of montmorillonite which its exchangeable ions are substituted to Na-, Ca-ion, and voids of more than 10%. USE/ADVANTAGE - Used for the denitration for exhaust gas from engine, and has enough effect even only a small quantity of the expensive TiO2 is used. In an example, the slurry was prepd. by dissolving Y type zeolite, dried powder of montmorillonite which its all exchangeable ions were substituted by Na ion, methylcellulose and glycerol, and kneaded and sintered at 650 deg. C., and formed to honey-comb shape of outer dimension of 150mm x 150mm, 1mm thick and pitch of 6mm. The gas contg. 500 ppm NOX was treated by this catalyser at temp. of 380 deg. C, and obtd. the denitration effect of 74-77%.

CHOSEN-DRAWING: Dwg. 0/0

TITLE-TERMS:

DENITRATION CATALYST EXHAUST GAS COMPRISE ACTIVE COMPONENT CONTAIN ZEOLITE MONTMORILLONITE FORMING AGENT

DERWENT-CLASS: E36 H06 J04

1784U 1901U 1902U

CPI-CODES: E31-H; E31-P02B; E31-P02D; H06-C03; J04-E04; N01-C01A;

CHEMICAL-CODES:

Chemical Indexing M3 *01*
 Fragmentation Code
 C107 C108 C307 C520 C730 C800 C801 C802 C803 C804
 C807 M411 M750 M903 M904 M910 N163 Q413 Q414 Q431
 Q436 R013
 Specfic Compounds
 01784X 01901X 01902X
 Registry Numbers

Chemical Indexing M3 *02*
 Fragmentation Code
 C500 C730 C800 C801 C802 C804 C806 C807 M411 M750
 M903 M904 M910 N163 Q413 Q414 Q431 Q436 R013
 Specfic Compounds
 01713X
 Registry Numbers
 1713U

Chemical Indexing M3 *03*
Fragmentation Code
C107 C520 C810 M411 M750 M903 M904 M910 N163 Q413
Q414 Q431 Q436 R013
Specfic Compounds
01738X
Registry Numbers
1738U

Chemical Indexing M3 *04*
 Fragmentation Code
 A423 A940 C108 C550 C730 C801 C802 C803 C804 C805
 C807 M411 M730 M782 M903 M904 M910 N163 Q413 Q414
 Q421 Q431 Q436 Q508 R032
 Specfic Compounds
 01522C 01522M 01522M 01522R 01966C 01966M 01966R 09250C 09250M
 Registry Numbers
 1522U 1926U 1966U

Chemical Indexing M3 *05*
Fragmentation Code
A111 A220 A313 A940 B114 B701 B712 B720 B831 C101
C108 C802 C804 C805 C807 M411 M730 M782 M903 M904
N163 Q413 Q414 Q421 Q431 Q436 Q508 R032
Markush Compounds
199441-C2901-M 199441-C2901-R 199441-C2901-X

UNLINKED-DERWENT-REGISTRY-NUMBERS: 1522U;1713U ;1738U ;1784U ;1901U ;1902U ;1926U ;1966U

SECONDARY-ACC-NO: CPI Secondary Accession Numbers:C1994-149253

jp-06254401	-\$.did.	1		
***************************************			*****	
Display Documents	Starting At:	<u>1</u>		
isplay Format:	Change F	Format		
<u>D</u>				